

**In the Claims:**

Claim 1 (Cancelled).

2. (Currently Amended) The rewriting device of claim ~~[[1]]~~ 27, further configured to determine that the communication is offline if no response is received from the vehicle controller within the second determination time.

3. (Currently Amended) The rewriting device of claim ~~[[1]]~~ 27, wherein the second determination time is the time necessary to delete the data stored in the memory.

4. (Original) The rewriting device of claim 3, further configured to acquire the deleting time from the vehicle controller prior to the deleting operation of the data, and to set the acquired deleting time in the second determination time; and

wherein, when the deleting operation is being performed, the determination of offline is prohibited until the second determination time that is set according to the deleting time elapses.

5. (Currently Amended) The rewriting device of claim ~~[[1]]~~ 27, further configured to send no message to the vehicle controller until the first determination time elapses from the time at which a the request for the result of the deleting operation is sent to the vehicle controller.

6. (Original) The rewriting device of claim 3, wherein the deleting time is calculated based on the size of the data and the specification of the memory.

Claim 7 (Cancelled).

8. (Currently Amended) The rewriting device of claim ~~[[7]]~~ 28, further configured to determine that the communication is offline if no response is received from the vehicle controller within the second determination time.

9. (Currently Amended) The rewriting device of claim [[7]] 28, wherein the second determination time is the time necessary to write the new data into the memory.

10. (Original) The rewriting device of claim 9, further configured to acquire the writing time from the vehicle controller prior to the writing operation of the new data, and to set the acquired writing time in the second determination time; and

wherein, when the writing operation is being performed, the determination of offline is prohibited until the second determination time that is set according to the writing time elapses.

11. (Currently Amended) The rewriting device of claim [[7]] 28, further configured to send no message to the vehicle controller until the first determination time elapses from the time at which ~~a~~ the request for the result of the writing operation is sent to the vehicle controller.

12. (Original) The rewriting device of claim 9, wherein the writing time is calculated based on the size of the new data and the specification of the memory.

13. (Currently Amended) A rewriting system for rewriting data stored in a memory of a vehicle controller with new data, the system comprising:

a rewriting device capable of communicating with the vehicle controller, the rewriting device configured to determine that communication between the rewriting device and the vehicle controller is offline if no response is received from the vehicle controller within a first determination time from the time at which the rewriting device transmits to the vehicle controller a request for a deleting or writing operation of the data; and

wherein, when the deleting or writing operation on the memory is being performed, the determination of offline is prohibited until a second determination time elapses from the time at which the rewriting device transmits to the vehicle controller a

request for a result of the deleting or writing operation, the second determination time being greater than the first determination time.

14. (Original) The rewriting system of claim 13, wherein the rewriting device is further configured to determine that the communication is offline if no response is received from the vehicle controller until the second determination time elapses.

15. (Original) The rewriting system of claim 13, wherein the second determination time for deleting operation is the time necessary to delete the data stored in the memory and the second determination time for writing operation is the time necessary to write the new data into the memory.

16. (Original) The rewriting system of claim 15, wherein the vehicle controller is configured to calculate the deleting time necessary to delete the data in the memory; and  
wherein the deleting time is sent from the vehicle controller to the rewriting device.

17. (Original) The rewriting system of claim 15, wherein the vehicle controller is configured to calculate the writing time necessary to write the new data into the memory; and  
wherein the writing time is sent from the vehicle controller to the rewriting device.

18. (Original) The rewriting system of claim 15, wherein the deleting time and writing time are calculated in accordance with the specification of the memory.

19. (Original) The rewriting system of claim 14, wherein the memory includes a non-volatile memory.

20. (Currently Amended) A method for rewriting data stored in a memory of a vehicle controller, the method comprising:

sending a request asking the vehicle controller to delete the data in the memory;  
determining that communication with the vehicle controller is offline if there is no response from the vehicle controller within a reference time from the time at which the request asking the vehicle controller to delete the data is sent;

starting operation for deleting the data stored in the memory;  
sending to the vehicle controller a request for a result of the operation for deleting; and

determining that communication with the vehicle controller is offline if there is no response from the vehicle controller within a determination time from the time at which the request for the result of the operation for deleting is sent; and

wherein the determination time is greater than a the reference time ~~for the determination of offline when deleting operation is not being performed in the vehicle controller.~~

21. (Original) The method of claim 20, further comprising:

calculating the time necessary to delete the data in the memory; and  
setting the deleting time in the determination time.

22. (Currently Amended) A method for rewriting data stored in a memory of a vehicle controller with new data, the method comprising:

sending a request asking the vehicle controller to write the new data into the memory;

determining that communication with the vehicle controller is offline if there is no response from the vehicle controller within a reference time from the time at which the request asking the vehicle controller to write the new data is sent;

starting operation for writing the new data into the memory;  
sending to the vehicle controller a request for a result of the operation for writing;  
and

determining that communication with the vehicle controller is offline if there is no response from the vehicle controller within a determination time from the time at which the request for the result of the operation for writing is sent; and

wherein the determination time is greater than a the reference time ~~for the determination of offline when writing operation is not being performed in the vehicle controller.~~

23. (Original) The method of claim 22, further comprising:

calculating the time necessary to write the new data stored in the memory; and  
setting the writing time in the determination time.

24. (Previously Presented) The rewriting device of claim 3, further configured to:

calculate the deleting time prior to the deleting operation of the data; and  
set the calculated deleting time in the second determination time.

25. (Previously Presented) The rewriting device of claim 9, further configured to:

calculate the writing time prior to the writing operation of the new data; and  
set the calculated writing time in the second determination time.

26. (Previously Presented) The rewriting system of claim 15, wherein the rewriting device is further configured to:

calculate the deleting time and set the deleting time in the second determination time when the deleting operation is performed; and

calculate the writing time and set the writing time in the second determination time when the writing operation is performed.

27. (Previously Presented) A rewriting device for rewriting data stored in a non-volatile memory of a vehicle controller;

the rewriting device capable of communicating with the vehicle controller and configured to determine that communication between the rewriting device and the vehicle controller is offline when no response is received from the vehicle controller within a first determination time from the time at which the rewriting device transmits to the vehicle controller a request for a deleting operation of the data;

wherein, when the deleting operation of the data is being performed, the rewriting device is configured to prohibit the determination of offline until a second determination time elapses from the time at which the rewriting device transmits to the vehicle controller a request for a result of the deleting operation, the second determination time being greater than the first determination time.

28. (Previously Presented) A rewriting device for rewriting data stored in a non-volatile memory of a vehicle controller with new data;

the rewriting device capable of communicating with the vehicle controller and configured to determine that communication between the rewriting device and the vehicle controller is offline when no response is received from the vehicle controller within a first determination time from the time at which the rewriting device transmits to the vehicle controller a request for a writing operation of new data; and

wherein, when the writing operation of the new data is being performed, the rewriting device is configured to prohibit the determination of offline until a second determination time elapses from the time at which the rewriting device transmits to the vehicle controller a request for a result of the writing operation, the second determination time being greater than the first determination time.

Claim 29 (Cancelled).